

Date: 12/11/00

STATEMENT OF WORK (SOW)

For the Repair of the

5V Power Supply

NSN: 6130-01-327-9197

P/N: 246089-100; CAGE: 13973

SOW-03-844-1-8D949B-2/1

1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the 5V Power Supply; NSN 6130-01-327-9197; P/N 246089-100; CAGE 13973.
2. The attached manuscript has been reviewed and is concurred upon by the following signers:

  
**HARVEY C. DEARING**

Weapon System/Equipment Manager  
Data Systems Section (Code 844-1)  
MCLB, Albany GA

  
**GYSGT R. WRIGHT**

Equipment Specialist  
Data Systems Section  
(Code 844-1)  
MCLB, Albany GA

  
**STEPHANIE BYRD**

Inventory Manager  
Data Systems Section  
(Code 844-1)  
MCLB, Albany GA

## TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	<u>Page</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)	4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
4.3	Repairable Item Inspection Report	5
4.4	Monthly Progress Report	5
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	A-1

**STATEMENT OF WORK FOR THE  
Inspect Repair Only As Necessary (IROAN) of  
5V Power Supply  
(6130-01-327-9197)  
P/N: 246089-100; CAGE: 13973**

**1.0 Scope.** This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the 5V Power Supply, 6130-01-327-9197; hereafter referred to as the 5V POWER SUPPLY. The 5V POWER SUPPLY, Drawing Number 246089, CAGE 13973, is a component of the Tactical Air Operations Module (TAOM), AN/TYQ-23(V)1. This document contains requirements to restore the 5V POWER SUPPLY to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."

**1.1 Background:** IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

**2.0 Applicable Documents.** The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

**2.1 Military Standards**

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-2073-1D	DoD Standard Practice for Military Packaging

**2.2 Other Government Documents and Publications:** The issues of those documents cited below shall be used.

TM-08565A-24P/9	AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual
246089	Parts List, 5V Power Supply
246089-720	Test Specifications
246089-750	Test Procedures
DoD 4000.25-1-M	MILSTRIP Manual

NAVICPINST 4491.2A	Requisitioning of Contractor Furnished Materiel from the Federal Supply System
--------------------	--

### **Military Handbooks (For Guidance)**

MIL-HDBK-61	Configuration Management
-------------	--------------------------

## **2.3 Industry Standards**

JESD625-A	Requirements for Handling Electrostatic-Discharge Sensitive ESDS Devices
-----------	--

ANSI/ISO/ASQC Q9003-1994	Quality Systems-Model for Quality Assurance in Final Inspection and Test
--------------------------	--

### **Industry Standards (For Guidance)**

ANSI/EIA-649	National Consensus Standard for Configuration Management
--------------	--

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

## **3.0 Requirements**

**3.1 General Tasks:** In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the 5V POWER SUPPLY. Upon completion of repairing the subject item it shall be Condition Code "A".

**3.2 Detail Tasks:** The following tasks describe the different phases for repair of the 5V POWER SUPPLY:

Phase I	Pre-Induction
Phase II	Repair
Phase III	Inspection, Testing and Acceptance
Phase IV	Packaging, Handling, Storage and Transportation (PHS&T)

**3.2.1 Phase I (Pre-Induction):** A pre-induction inspection analysis shall be performed for each 5V POWER SUPPLY within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base (844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

**3.2.2 Phase II (Repair):** After pre-induction tests and inspections have been completed, repair of the 5V POWER SUPPLY shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.

(2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.

(3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

b. Publications and Documentation: In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

246089	Parts List, 5V Power Supply
246089-720	Test Specifications
246089-750	Test Procedures
TM-08565A-24P/9	AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

**3.2.3 Phase III (Inspection, Testing and Acceptance)**

a. Inspection, Testing and Acceptance of the 5V POWER SUPPLY shall be conducted in accordance with the documents and TM listed in paragraph 3.2.2.b and documentation retained by the manufacturer.

b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

**3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))**

a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items being prepared for domestic shipment and immediate use shall be to level B requirements. All items subject to damage by electrostatic discharge shall be packed into a reusable fast pack container.

b. Marking of all items shall be in accordance with MIL-STD-129.

c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

**3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM):**

GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Contractor has GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

**3.4 Contractor Furnished Materiel (CFM):** The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

**3.5 Electrostatic Discharge (ESD) Control Program:** The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

**3.6 Quality Assurance Provisions:** The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The

Government (MCLBA, 844-1) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

**3.7 Acceptance:** The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (Code 844-1) representatives shall be permitted to observe the work or to conduct an inspection.

**3.8 Rejection:** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

**3.9 Configuration Control:** The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

**4.0 Reports:** All report deliverables shall be submitted in hard copy to Commander (Code 844-1), Marine Corps Logistics Bases, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, unless directed otherwise in a Contract Data Requirements List.

**4.1 Pre-Induction Checklist:** The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each 5V POWER SUPPLY repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, within 30 days after final acceptance of the 5V POWER SUPPLY.

**4.2 Test/Inspection Report:** The Contractor shall provide a Test/Inspection for each 5V POWER SUPPLY.

**4.3 Repairable Item Inspection Report:** The Contractor shall provide a Repairable Item Inspection Report for each 5V POWER SUPPLY. The report shall be identified by United States Marine Corps Serial Number.

**4.4 Monthly Progress Report:** The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the 5V POWER SUPPLY Program.

## INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

(CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).)

REPORT OF DISCREPANCY (ROD)				1 DATE OF PREPARATION		2 REPORT NUMBER		
SHIPPING _____ PACKAGING _____								
3 TO: (Name and Address, Include ZIP Code)				4 FROM: (Name and Address, Include ZIP Code)				
5a SHIPPER'S NAME				5b NUMBER AND DATE OF INVOICE		5c TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.)		
7a SHIPPER'S NUMBER (Purchase Order/Shipmet, Contract, etc.)		7b OFFICE ADMINISTERING CONTRACT			8 REQUISITIONER'S NUMBER (Requisition, Purchase Request, etc.)			
9 SHIPMENT, BILLING, AND RECEIPT DATA					10 DISCREPANCY DATA			11
NSN/PART NUMBER AND NOMENCLATURE (a)		UNIT OF ISSUE (b)	QUANTITY SHIPPED/BILLED (c)	QUANTITY RECEIVED (d)	QUANTITY (a)	UNIT PRICE (b)	TOTAL COST (c)	1 CODE (d)
12 REMARKS (continue on separate sheet of paper if necessary)								

1 DISCREPANCY CODES		2 ACTION CODES
<b>CONDITION OF MATERIAL</b> C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment <b>SUPPLY DOCUMENTATION</b> D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, Improper or without authority <i>(Only when receipt cannot be properly processed)</i> <b>MISDIRECTED MATERIAL</b> M1 - Addressed to wrong activity <b>OVERAGE/DUPLICATE SHIPMENTS</b> O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested <i>(Other than unit of issue pack)</i> O3 - Quantity duplicate shipment <b>PACKING DISCREPANCY</b> P1 - Improper preservation P2 - Improper packing P3 - Improper Marking P4 - Improper unitization	<b>PRODUCT QUALITY DEFICIENCIES</b> Q1 - Deficient material <i>(Applicable to Grant Aid and FMS shipments)</i> <b>SHORTAGE OF MATERIAL</b> S1 - Quantity less than that on receipt document S2 - Quantity less than that requested <i>(Other than unit of issue pack)</i> S3 - Non receipt of parcel post shipments <b>ITEM TECHNICAL DATA MARKINGS</b> <i>(i.e., Name Plates, Log Books, Operating Handbooks, Special Instructions, etc.)</i> T1 - Missing T2 - Illegible or Mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing <b>WRONG ITEM</b> <i>(Identify requested item as a separate copy in Item 9 above)</i> W1 - Incorrect item received W2 - Unacceptable substitute <b>OTHER DISCREPANCIES</b> Z1 - See Remarks	1A - Disposition instructions requested <i>(Reply on reverse)</i> 1B - Material being retained <i>(See Remarks)</i> 1C - Supporting supply documentation requested 1D - Material still required, expedite shipment <i>(Not applicable to FMS)</i> 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days <i>(Reply on reverse)</i> <i>(Not applicable to FMS)</i> 1F - Replacement shipment requested <i>(Not applicable to FMS)</i> 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only 1Z - Other action requested <i>(See remarks)</i>

## 13 FUNDING AND ACCOUNTING DATA

14a TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL	14b SIGNATURE
--	---------------

## 15 DISTRIBUTION ADDRESSEES FOR COPIES



16 FROM	17 DISTRIBUTION ADDRESSEES FOR DISTRIBUTION
---------	---

18 TO	Use window envelope to mail this document. Insert Name and address, including ZIP Code, starting one typing space below the left dot. Each address line must NOT extend beyond right dot. Address must not exceed four single space typing lines.
-------	---

19 IN ACCORDANCE WITH NOTICE OF DISCREPANCY ON FACE OF THIS FORM:			
a MATERIAL <input type="checkbox"/> HAS BEEN <input type="checkbox"/> WILL BE SHIPPED	DOCUMENT NUMBER	b <input type="checkbox"/> NO RECORD OF SHIPMENT RESUBMIT REPORT TO PROPER OFFICE UNDER	
c <input type="checkbox"/> AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED <input type="checkbox"/> CREDIT <input type="checkbox"/> DEBIT	d <input type="checkbox"/> INVOICE/BILL ATTACHED <span style="float: right;">e <input type="checkbox"/> PROOF OF DELIVERY</span>		

f ☐ AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREPANCY WILL NOT BE PROCESSED FOR THE FOLLOWING REASON WHICH IS CITED IN THE INDICATED REGULATION

(1) REASON FOR NOT PROCESSING	(2) PRESCRIBING REGULATION
<input type="checkbox"/> (a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAMES ALLOWED AND/OR	<input type="checkbox"/> (a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIALS, OR BILLINGS (FPMR 101.26.8)
<input type="checkbox"/> (b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED IN THE REGULATION OR AGREEMENT INDICATED IN 191(2)	<input type="checkbox"/> (b) CHAPTER 2 AND/OR 7 OF DOD 4000.25-7.M, MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE

20 THE FOLLOWING DISPOSITION IS TO BE MADE OF THE REFERENCED MATERIAL.		
a <input type="checkbox"/> PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b <input type="checkbox"/> REPRESENTATIVE WILL CALL FOR DISCUSSION CONCERNING DISPOSITION	DAYS
c <input type="checkbox"/> RETAIN MATERIAL AT NO CHARGE	d <input type="checkbox"/> MATERIAL WILL BE PICKED UP IN	DAYS
e <input type="checkbox"/> SHIP MATERIAL. <i>Specify location</i>		
(1) <input type="checkbox"/> GBL APPROPRIATION CHARGEABLE:		
(2) <input type="checkbox"/> CHARGES COLLECT - VIA <input type="checkbox"/> FREIGHT <input type="checkbox"/> EXPRESS <input type="checkbox"/> PARCEL POST	<div style="border: 1px solid black; width: 100px; height: 20px;"></div>	
(3) <input type="checkbox"/> PARCEL POST LABEL ATTACHED	(4) <input type="checkbox"/> FREIGHT PRE-PAID	<div style="border: 1px solid black; width: 100px; height: 20px;"></div>

f <input type="checkbox"/> OTHER <i>(Specify)</i>	21 <input type="checkbox"/> IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22 <input type="checkbox"/> REPLACEMENT WITH SATISFACTORY MATERIAL WILL BE MADE ON/OR BEFORE:
		DATE

23 REMARKS *(Continue on separate sheet of paper if necessary).*

24a TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b SIGNATURE	24c DATE
--	---------------	----------

# CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM SV Power Supply	E. CONTRACT/PR NO.	F. CONTRACTOR
-----------------------------------	--------------------	---------------

1. DATA ITEM NO. A001	2. TITLE OF DATA ITEM Contractor's Progress, Status, and Management Report	3. SUBTITLE Management
--------------------------	---	---------------------------

4. AUTHORITY (Data Acquisition Document No.) DI-MGMT-80227	5. CONTRACT REFERENCE SOW 4.4	6. REQUIRING OFFICE MCLBA (844)
---	----------------------------------	------------------------------------

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY MTHLY	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION a. ADDRESSEE MCLBA (844-1)	b. COPIES Draft Final Reg Repro		
8. APP CODE		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION See Blk 16				

<b>16. REMARKS</b> Contractor format is authorized.  Blk 4 - Tailor DI-MGMT-80227 as follows: Delete paragraphs 10.3g, 10.3h, 10.3i, 10.3j, 10.3k, and 10.3n.  Blk 12 - The reporting period shall be from the first to last business day of each month. Initial submission shall be 60 DAC.  Blk 13 - Subsequent submissions shall be 10 days after the last business day of each month.  Distribution Statement A: Approved for public release, distribution is unlimited.			
	15. TOTAL	0	1

G. PREPARED BY <i>Richard A. Wright</i>	H. DATE 12/11/00	I. APPROVED BY <i>Harvey C. Dearing</i>	J. DATE 12/14/00
--	---------------------	--	---------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

# CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved  
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TOP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM 5V Power Supply	E. CONTRACT/PR NO.	F. CONTRACTOR
-----------------------------------	--------------------	---------------

1. DATA ITEM NO. B001	2. TITLE OF DATA ITEM Repairable Item Inspection Report	3. SUBTITLE Integrated Logistics Support Standards
--------------------------	--	---

4. AUTHORITY (Data Acquisition Document No.) DI-ILSS-80386	5. CONTRACT REFERENCE SOW 4.3	6. REQUIRING OFFICE MLCBA (844)
---	----------------------------------	------------------------------------

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION												
8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION See Blk 16	<table border="1"> <tr> <td>a. ADDRESSEE</td> <td colspan="3">b. COPIES</td> </tr> <tr> <td></td> <td>Draft</td> <td>Final</td> <td></td> </tr> <tr> <td></td> <td>Reg</td> <td>Repro</td> <td></td> </tr> </table>		a. ADDRESSEE	b. COPIES				Draft	Final			Reg	Repro	
a. ADDRESSEE	b. COPIES															
	Draft	Final														
	Reg	Repro														

<b>16. REMARKS</b> Contractor format is authorized.  Blk 10 - A separate report shall be submitted for each 5V Power Supply repaired.  Blks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each 5V Power Supply.  Blk 14 - Reports shall be provided on hard copy.  Distribution Statement A: Approved for public release, distribution is unlimited.	MCLBA (844-1)	0	1	0
	15. TOTAL	0	1	0

G. PREPARED BY <i>[Signature]</i>	H. DATE 12/11/00	I. APPROVED BY <i>[Signature]</i>	J. DATE 12/14/02
--------------------------------------	---------------------	--------------------------------------	---------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

# CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

<b>A. CONTRACT LINE ITEM NO.</b>	<b>B. EXHIBIT</b>	<b>C. CATEGORY:</b> TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
----------------------------------	-------------------	---

<b>D. SYSTEM/ITEM</b> SV Power Supply	<b>E. CONTRACT/PR NO.</b>	<b>F. CONTRACTOR</b>
--	---------------------------	----------------------

<b>1. DATA ITEM NO.</b> B002	<b>2. TITLE OF DATA ITEM</b> Test/Inspection Reports	<b>3. SUBTITLE</b> NonDestructive Testing and Inspection
---------------------------------	---	---

<b>4. AUTHORITY (Data Acquisition Document No.)</b> DI-NDTI-80809B	<b>5. CONTRACT REFERENCE</b> SOW 4.2	<b>6. REQUIRING OFFICE</b> MCLBA (844)
---	---	---

<b>7. DD 250 REQ</b> DD	<b>9. DIST STATEMENT REQUIRED</b> A	<b>10. FREQUENCY</b> ASREQ	<b>12. DATE OF FIRST SUBMISSION</b> See Blk 16	<b>14. DISTRIBUTION</b>												
<b>8. APP CODE</b>		<b>11. AS OF DATE</b> ASREQ	<b>13. DATE OF SUBSEQUENT SUBMISSION</b> See Blk 16	<table border="1"> <tr> <th>a. ADDRESSEE</th> <th colspan="3">b. COPIES</th> </tr> <tr> <th></th> <th>Draft</th> <th>Final</th> <th></th> </tr> <tr> <th></th> <th></th> <th>Reg</th> <th>Repro</th> </tr> </table>	a. ADDRESSEE	b. COPIES				Draft	Final				Reg	Repro
a. ADDRESSEE	b. COPIES															
	Draft	Final														
		Reg	Repro													

<b>16. REMARKS</b> Contractor format is authorized.  Blk 12 - Submit test report within 30 days after completion of Production Acceptance Testing. DCMAO will review and provide comments to MCLBA within 30 days of receipt. MCLBA will provide acceptance/nonacceptance to the Contractor within 30 days after receipt of recommendations/comments from DCMAO.  Blk 13 - The Contractor shall incorporate any Government comments with 30 days of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government.  Distribution Statement A: Approved for public release, distribution is unlimited.	MCLBA (844-1) DCMAO	0 0	1 1	0 0
	15. TOTAL → 0 2 0			

<b>G. PREPARED BY</b> Richard A. Wright	<b>H. DATE</b> 12/11/00	<b>I. APPROVED BY</b> Alexander D. Dearing	<b>J. DATE</b> 12/14/02
--	----------------------------	---	----------------------------

<b>17. PRICE GROUP</b>
<b>18. ESTIMATED TOTAL PRICE</b>

(1 Data Item)

Form Approved  
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0186), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER _____ <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM	E. CONTRACT/PR NO.	F. CONTRACTOR
5V Power Supply		

1. DATA ITEM NO.	2. TITLE OF DATA ITEM	3. SUBTITLE
C001	Request For Deviation	Configuration Management

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640C	5. CONTRACT REFERENCE SOW 3.9	6. REQUIRING OFFICE MCLBA (851)
--	----------------------------------	------------------------------------

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16	14. DISTRIBUTION	6 COPIES
---------------------	-------------------------------	------------------------	--	------------------	----------

8. APP CODE	A	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE	<table border="1"> <tr> <td rowspan="2">Draft</td> <td colspan="2">Final</td> </tr> <tr> <td>Reg</td> <td>Repro</td> </tr> </table>	Draft	Final		Reg	Repro
Draft		Final								
	Reg	Repro								

16. REMARKS	MCLBA (851-2)	0	1	0
Blk 4 - Contractor format in .doc or .pdf software is authorized.				

Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.

RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.

RFDs shall be submitted via e-mail to the following address:  
mbmatcomconfigmngmnt@matcom.usmc.mil

Distribution Statement A: Approved for public release, distribution is unlimited

G. PREPARED BY Sandra Edison	H. DATE 30 OCT 00	I. APPROVED BY A. Miley C. Dunning	J. DATE 12-14-00
---------------------------------	----------------------	---------------------------------------	---------------------